

Metal Perforations

Please call 888 874.2450 to request a sample







Presenting a complete line of perforation options for:

- CELEBRATION metal ceiling system
- CURVATURA 3-Dimensional system
- GEOMETRIX metal ceiling panels
- PANZ metal ceiling panels.

Standard Perforations
CELEBRATION, CURVATURA 3-Dimensional, GEOMETRIX and PANZ Systems


Pattern Number	Perforation Pattern	Open Area %
A062	Round 1/16" Perforations, .25" o.c. (without border)	5%
A062A	Round 1/16" Perforations, .25" o.c.;	5%
A116	Round 15/128" Perforations .354" o.c.	17%
A188	Round 3/16" Perforations, 1" o.c.	3%
A250	Round 1/4" Perforations, .5" o.c.	39%
A500	Round 1/2" Perforations, .848" o.c.	55%
B079	Round 5/64" Perforations .312" o.c.	6%
B125	Round 1/8" Perforations, .375" o.c.	10%
B188A	Round 3/16" Perforations, .312" o.c.	33%
B197	Round 13/64" Perforations .316" o.c.	35%
B250	Round 1/4" Perforations, .437" o.c.	30%
B250H (Formerly H250)	Round 1/4" Perforations, .32" o.c.	58%
B312	Round 5/16" Perforations .437" o.c.	46%
B500 ¹	Round 1/2" Perforations, .600" o.c.	63%
C062 ²	Round 1/16" Perforations, .351" o.c.	2%
C062A ²	Round 1/16" Perforations, .175" o.c.	10%
C116	Round 15/128" Perforations .344" o.c.	8%
C188	Round 3/16" Perforations, 1.414" o.c.	1%
C250A	Round 1/4" Perforations, .65" o.c.	12%
C375 ²	Round 3/8" Perforations, 1.125" o.c.	9%
C500	Round 1/2" Perforations, 1.5" o.c.	9%
D250 ²	Square 1/4" Perforations, .75" o.c.	11%
D375 ²	Square 3/8" Perforations, 1.125" o.c.	11%
D500	Square 1/2" Perforations, 1.5" o.c.	17%
D500D	Square 1/2" Perforations, .595" o.c.	70%
EC25D ³	Round 1/4" dia. x 1/16" Embossing, 1.18" o.c.; No Perforation	0%
EC25U ³	Round 1/4" dia. x 1/16" Embossing, 1.18" o.c.; No Perforation	0%
EM25D ³	Round 1/4" dia. x 1/16" Embossing, 1/4" Perforations, 1.14" o.c.	2%
EM25U ³	Round 1/4" dia. x 1/16" Embossing, 1/4" Perforations, 1.14" o.c.	2%







1. Do not use with One-Directional CURVATURA system.
2. Standard for GEOMETRIX panels.
3. 2'x2' CELEBRATION and PANZ panels only.
4. Perforation patterns shown at 75% of actual size.
When ordering, please refer to the pattern number for perforation samples (for example, "A062").
(All samples are 6"x6")
5. 2'x2' CELEBRATION and PANZ panels only.







Standard Perforations	<p>Pattern No. A062/A062A (without border)</p> 	<p>Pattern No. A116</p> 	<p>Pattern No. A188</p> 
	<p>Round—1/16" perforations .25" o.c., 5% open area</p>	<p>Round—15/128" perforations .354" o.c., 17% open area</p>	<p>Round—3/16" perforations 1" o.c., 3% open area</p>
	<p>Pattern No. A250</p> 	<p>Pattern No. A500</p> 	<p>Pattern No. B079</p> 
	<p>Round—1/4" perforations .5" o.c., 39% open area</p>	<p>Round—1/2" perforations .848" o.c., 55% open area Not to be used with the One-Directional CURVATURA system</p>	<p>Round—5/64" perforations .312" o.c., 6% open area</p>

Metal Perforations

CELEBRATION panels with embossing and perforation









Standard Perforations	<p>Pattern No. B125</p>  <p>Round—1/8" perforations .375" o.c., 10% open area</p>	<p>Pattern No. B188A</p>  <p>Round—3/16" perforations .312" o.c., 33% open area</p>	<p>Pattern No. B197</p>  <p>Round—13/64" perforations .316" o.c., 35% open area</p>
	<p>Pattern No. B250</p>  <p>Round—1/4" perforations .437" o.c., 30% open area</p>	<p>Pattern No. B250H (formerly H250)</p>  <p>Round—1/4" perforations .32" o.c., 58% open area</p>	<p>Pattern No. B312</p>  <p>Round—5/16" perforations .437" o.c., 46% open area</p>









<p>Standard Perforations</p>	<p>Pattern No. B500</p>  <p>Round—1/2" perforations .600" o.c., 63% open area</p> <p>Not to be used with the One-Directional CURVATURA System</p>	<p>Pattern No. C062</p>  <p>Round—1/16" perforations .351" o.c., 2% open area</p>	<p>Pattern No. C062A</p>  <p>Round—1/16" perforations .175" o.c., 10% open area</p>
	<p>Pattern No. C116</p>  <p>Round—15/128" perforations .344" o.c., 8% open area</p>	<p>Pattern No. C188</p>  <p>Round—3/16" perforations 1.414" o.c., 1% open area</p>	<p>Pattern No. C250A</p>  <p>Round—1/4" perforations .65" o.c., 12% open area</p>

Metal Perforations

PANZ panels with embossing



<p>Standard Perforations</p>	<p>Pattern No. C375</p>  <p>Round—3/8" perforations 1.125" o.c., 9% open area</p>	<p>Pattern No. C500</p>  <p>Round—1/2" perforations 1.5" o.c., 9% open area</p>	<p>Pattern No. D250</p>  <p>Square—1/4" perforations .75" o.c., 11% open area</p>
	<p>Pattern No. D375</p>  <p>Square—3/8" perforations 1.125" o.c., 11% open area</p>	<p>Pattern No. D500</p>  <p>Square—1/2" perforations 1.5" o.c., 17% open area</p>	<p>Pattern No. D500D</p>  <p>Square—1/2" perforations .595" o.c., 70% open area</p>

Embossing Only	<p>Pattern No. EM25D</p> 	<p>Pattern No. EM25U</p> 	
	<p>Round – 1/4" dia. x 1/16" embossing 1.18" o.c., no perforation Face side </p>	<p>Round – 1/4" dia. x 1/16" embossing 1.18" o.c., no perforation Face side </p>	
Embossing and Perforations	<p>Pattern No. EC25D</p> 	<p>Pattern No. EC25U</p> 	
	<p>Round – 1/4" perforations 1.41" o.c., 2% open area Black ACOUSTIBOND backer standard Face side </p>	<p>Round – 1/4" perforations 1.41" o.c., 2% open area ACOUSTIBOND backer not available Face side </p>	